



www.jerko-kempen.de

COMPACT LUBRICATION UNIT



jerko
Sprühsysteme



INEXPENSIVE STARTER SOLUTION FULL FUNCTIONALITY

This is what we offer

Mobile, compact and versatile.
Whether it is used as a manual spray system or on a fully automatic robot spray system — the compact supply container with the 45-litre stainless steel container is suited for all tasks.

It is serially produced with a pneumatic lifting device so as to enable particularly easy handling.

With its well established components, the spray device is perfect for continuous use.

The device can be employed to spray lubricants or release agents with a high solids content.

To replace or clean the container, the whole container lid including all attachments is pneumatically lifted.

The advantages — an overview

- Compact, mobile and manoeuvrable
- Easy to operate
- Easy to clean
- Replaceable container
- Robust pump technology
- Stirrer
- Inexpensive
- 100 % rustproof (in contact with medium)
- Designed and built according to Machinery Directive 2006/42/EC

Technical data

L x w x h:	500 x 600 x 1000 mm
Usable volume:	45 litres
Pump:	air-operated diaphragm pump
Pressure:	6 bar
Stirrer:	free configuration of stirrer blades
Connection:	1/2" compressed air 16-A CEE plug 1/2" water (rinsing only)

Options

Piston pump 2 : 1
Twin stirring element
Circulation
Automatic dosing



www.jerko-kempen.de

**BENEFIT FROM THE COMPETITIVE
ADVANTAGE OF THE TECHNOLOGY
LEADER**

JERKO — your goal, our challenge

info@jerko-kempen.de

+49 2152 9103 0